ELSEVIER

Journal of Organometallic Chemistry 637–639 (2001) 851–853

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

# Author Index of Volumes 637–639

Adams, R.D., I, 514
Ahmet, M., 311
Allen, C.W., 284
Alley, S.R., 216
Alonso, B., 642
Amardeil, R., 126
Andrés, R., 182
Arif, A.M., 172
Arnold, J., 521
Asselberghs, I., 426, 435

Bain, A.D., 372
Bai, Y., 738, 742
Balavoine, G.G.A., 364, 531
Bandoli, G., 710, 772
Barangé, F., 531
Basta, R., 172
Batsanov, A.S., 445
Beer, P.D., 89
Beilstein, A.E., 398
Beletskaya, I.P., 653
Bentabet, E., 126
Bezerra de Carvalho, A., 631
Bolte, M., 390
Bonini, B.F., 407
Boschi, A., 772
Braga, D., 609
Brissard, M., 182
Broussier, R., 126
Bruce, M.I., 484
Bryce, M.R., 134, 445
Bushell, K., 418
Butler, I.R., 538

Cabestaing, C., 500
Cadierno, V., 767
Camire, N., 823
Cao, Z., 631
Carr, J.D., 304
Carter, S.M., 683
Casado, C.M., 642
Casolari, S., 609
Castruita, M., 664
Cea-Olivares, R., 691
Cervantes-Lee, F., 664
Chai, J.-F., 209
Chen, B.-h., 719, 782
Chesney, A., 134, 445
Chiffre, J., 364
Choi, K.-H., 159
Cinquantini, A., 800
Clays, K., 435
Cleaver, W.M., 284
Clot, O., 145
Colacot, T.J., 691
Coles, S.J., 304, 538
Comes-Franchini, M., 407
Cook, L., 266
Coppo, R., 710
Corvaja, C., 710
Cotton, F.A., 18
Cuadrado, I., 642
Cuffe, L.P., 435
Cui, X., 27, 793
Curiel, D., 259

Dai, L.-X., 762, 845
Daran, J.-C., 364, 531
Das, P.K., 827
de Biani, F.F., 586
Decken, A., 372
Deck, P.A., 107
Demeschik, T.V., 182
Deng, W.-P., 845
Díez, J., 677
Ding, K., 27
Ding, L., 27, 390
Drew, M.G.B., 89
Duatti, A., 772
Du, C., 27
Dutasta, J.-P., 356

Elias, A.J., 382
Elsner, O., 251
Enders, D., 698
Erker, G., 621
Ernst, R.D., 172
Evans, D.J., 311

Fabrizi de Biani, F., 390
Fernández, A., 577
Fernández, J.J., 577
Fern, G.R., 311
Fiedler, J., 167
Fischer, E.O., 7
Fochi, M., 407
Fontani, M., 418, 538, 733, 800
Fröhlich, R., 621
Fronczek, F.R., 107
Fu, E., 327
Fujii, S., 476
Fu, N., 631

Gallagher, J.F., 435
Gamasa, M.P., 677
Garcia, B., 642
Garcia-Garrido, S.E., 767
Gary Hollis, W., Jr., 107
Gautheron, B., 126
Gayoso, E., 577
Gebauer, A., 343
Geiger, W.E., 823
Gialou, C., 418
Giardiello, M., 800
Gimeno, J., 463, 677, 767
Giorgi, G., 800
Goh, C.H., 418
Gong, J., 27
González, A., 116
González, B., 642
González-Cabello, A., 751
Gosse, I., 356
Graiff, C., 463, 586
Granell, J.R., 116
Grant, G.J., 683
Gref, A., 84
Grepioni, F., 609
Grinstaff, M.W., 398
Gruselle, M., 182

Hagadorn, J.R., 521
Hahn, I., 300
Hartmann, S., 240
Henderson, W., 216
Herberhold, M., 727
Herber, R.H., 172
Hernandez-Ortega, S., 691
Herson, P., 182
Hess, A., 349
Hirao, T., 75
Ho, E.N.-M., 276
Hor, T.S.A., 757
Hou, J., 793
Houlton, A., 311
Hou, X.-L., 762, 845
Hou, Y., 742
Howard, J.A.K., 445
Hua, D.H., 832
Hu, A.-g., 204
Hudson, R.D.A., 47, 435
Hui, B.K.-M., 276
Huo, S., 27
Hursthouse, M.B., 304, 538

Imrie, C., 266

Jaitner, P., 507
Jantschak, A., 300
Jaouen, G., 500
Jia, W.-L., 209
Jira, R., 7
Jones, C., 669

PII: S0022-328X(01)01224-4

Justin Thomas, K.R., 139
Jutzi, P., 595

Kaim, W., 167
Kalck, P., 126
Kamer, P.C.J., 805
Kasák, P., 318
Kataeva, O., 621
Kehr, G., 621
Kießling, T., 796
Kimmich, B.F.M., 800
Kirchner, K., 70, 558
Kirkovits, G.J., 343
Klotz, B., 745
Klumpen, T., 698
Knüppel, S., 621
Köcher, S., 198
Koh, J.H., 99
Kondo, H., 476
Kondo, T., 841
Kopacka, H., 507, 558
Kraatz, H.-B., 335
Krishnan, A., 827
Kroll, C.E., 107
Kubišta, J., 291
Kumara Swamy, K.C., 616
Kunkely, H., 777
Kurihara, M., 80

Lacroix, P.G., 531
Laios, I., 500
Lai, S.-W., 89
Landis, C.R., 800
Lanfranchi, M., 677
Lang, H., 198
Lastra, E., 463
Latyshev, G.V., 653
Laub, J., 837
LeBron Russell, A., 683
Leclercq, G., 500
Lee, S., 99
Lefloch, F., 84
Leigh, G.J., 311
Levendis, D.C., 266
Lewis, E., 538
Liang, Y.-m., 719, 723, 782
Li, M., 738
Lin, J.T., 139
Liptau, P., 621
Liu, C.-M., 723
Liu, L.-K., 549
Liu, W.-m., 719, 723, 782
Liu, W.-y., 719, 782
Liu, Y., 27
Lloris, J.M., 151
Locke, A.J., 669
Longato, B., 710
Long, N.J., 418
López, C., 116
López-Torres, M., 577
Ludvík, J., 291
Lu, G.-L., 159
Luh, L.-S., 549
Lu, J., 738, 742
Lukashev, N.V., 653
Lukassser, J., 558
Luo, Y.-M., 845

Madrigal, C., 463
Ma, H., 172, 738, 742
Mahmoud, J.S., 664
Maillard, F., 356
Maini, L., 609
Maisel, H.E., 727
Ma, K., 390
Malézieux, B., 182
Malik, K.L.M.A., 538
Mamane, V., 84
Mamed'yarova, I.A., 182
Manning, A.R., 435
Manoury, E., 364, 531
Mariño, M., 577
Martin, J., 418
Martínez, J., 577
Martínez-Máñez, R., 151
Mata, J.A., 191
Ma, Y.-x., 719, 723, 782
Mazzanti, G., 407
McGill, J.W., 832
McGlinchey, M.J., 372
Mereiter, K., 70
Metzler-Nolte, N., 349
Meunier, M., 538
Meunier, P., 126
Micskei, K., 813
Mikláš, R., 318
Miller, J.R., 311
Mizutani, J., 80
Molina, P., 259
Morikita, T., 809
Moriuchi, T., 75
Moutet, J.-C., 356
Mueller-Westerhoff, U.T., 823
Mulatier, J.-C., 356
Müller, A.G., 558
Myer, C.N., 284

Nakashima, S., 820
Nataro, C., 284
Neo, Y.C., 757
Neumann, B., 733
Ng, K.-F., 159
Nishihara, H., 80
Norris, W.P., 837

Oda, T., 820
Okamura, M., 841
Okuda, J., 786
Okuda, T., 820
Ongania, K.H., 558
Opromolla, G., 586
Ovanesyan, N.S., 182
Ovseenko, S.T., 182

Paganelli, F., 609
Pal, S.K., 827
Pályi, G., 813
Pannell, K.H., 664
Pardo, T., 151
Park, J., 99
Pauson, P.L., 3
Peppe, C., 631
Pereira, T., 577
Perepichka, D.F., 445
Perepichka, I.F., 445
Peris, E., 191
Persoons, A., 426, 435
Peruga, A., 191
Pilloni, G., 710, 772
Pleite, S., 230
Popov, A.F., 445
Porchia, M., 772
Poullaos, I.M., 683
Predieri, G., 586
Provot, C., 500
Putala, M., 318

Qian, H., 691
Qingmin, W., 94
Qu, B., 514

Ramakrishna, T.V.V., 382
Ramírez-Oliva, E., 642
Ratera, I., 251
Ratkovic, Z.R., 813
Refosco, F., 772
Reichel, E., 558
Reshetova, M.D., 469
Reynes, O., 356
Riant, O., 84
Ricci, A., 407
Richard, P., 126
Richards, C.J., 669
Rigby, S.S., 372
Rodríguez, J.-G., 230
Roque, K., 531
Rosenblum, M., 13
Routaboul, L., 364
Rovira, C., 251
Royal, G., 356
Rüba, E., 70
Ruiz-Molina, D., 251, 507
Runqiu, H., 94
Ryabov, A.D., 469
Ryabova, E.S., 469

Saint-Aman, E., 356
Sainz, D., 191
Salmon, A., 595
Samuelson, A.G., 827
Sato, S., 476
Saweczko, P., 335
Scheiring, T., 240
Scherer, M., 343
Schmid, R., 70
Schottenberger, H., 70, 558
Sehnert, J., 349
Senthil Kumar, K., 616
Sessler, J.L., 343
Siemeling, U., 733
Silver, J., 311
Sixt, T., 167
Skelton, B.W., 484
Slade, E., 311
Sladky, F., 745
Smith, M.D., 514
Smith, M.E., 484
Sokolov, N.I., 445
Sokolov, V.I., 182
Somsák, L., 813
Song, M., 27
Soto, J., 151

Spies, T., 300
Sporer, C., 507
Stafford, P.R., 837
Stammler, H.-G., 733
Stanciu, G., 356
Stankovic, E., 426
Steiner, G., 558
Stephany, H.A., 832
Štěpnička, P., 291
Sun, J., 204
Sünkel, K., 796
Sutcliffe, O.B., 134
Swennenhuis, B.H.G., 805

Tafeenko, V.A., 653
Tagliavini, E., 609
Takagi, M., 476
Takenaka, S., 476
Tang, L.-F., 209
Tárraga, A., 259
Thaler, G., 745
Tiripicchio, A., 463, 586, 677
Tisato, F., 772
Toffoletti, A., 710
Toma, S., 426
Tomasulo, M., 407
Top, S., 500
Torres, T., 751
Train, C., 182
Troitskaya, L.L., 182
Trojan, L., 291
Tsvetkov, A.V., 653
Tucker, J.H.R., 304

Uccelli, L., 772
Ueda, M., 832
Uhl, W., 300
Uosaki, K., 841

Van Boxel, R., 426
VanDerveer, D.G., 683
van Leeuwen, P.W.N.M., 805
Varchi, G., 407
Vázquez, P., 751
Veciana, J., 251, 507
Velasco, M.D., 259
Vessières, A., 500
Vidal-Gancedo, J., 251
Vila, J.M., 577
Vittal, J.J., 757
Vogler, A., 777
Vorfeld, U., 733

Wagner, M., 390
Wang, J., 631
Wang, J.-t., 204, 209
Wang, Z.-H., 209
Wanner, M., 240
Weber, M., 167
Weng, L., 631
White, A.H., 484
White, A.J.P., 418
Whiting, M.C., 16
Williams, C.K., 418
Williams, D.J., 418
Wilson, D.R., 172
Winter, R.F., 240
Wolf, M.O., 145
Wong, C.-K., 159
Wong, W.-T., 276
Wong, W.-Y., 159
Wostyn, K., 435
Wrackmeyer, B., 727
Wright, M.E., 837
Wu, C., 327
Wurst, K., 507, 558, 745
Wu, X.-l., 723
Wu, Y., 27, 793

Xue, P., 327
Xu, Q.-h., 719, 782
Xu, Y., 335

Yamada, Y., 80
Yamamoto, T., 809
Yamashita, K., 476
Yang, B., 738, 742
Yap, G.P.A., 145
Yoshida, K., 75
You, S.-L., 762, 845
Yuan, Q., 327
Yuan, R., 793
Yuan, Y., 631
Yuan, Y.-f., 204
Yun, H., 793

Zamora, M., 642
Zanello, P., 390, 418, 538, 586, 733, 800
Zhang, L.-y., 204
Zhang, Y., 664
Zhu, K., 738
Zimmerman, R.S., 343
Zucchi, C., 813
Zuideveld, M.A., 805

ELSEVIER

Journal of Organometallic Chemistry 637–639 (2001) 855–868

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

# Subject Index of Volumes 637–639

Acetal
Synthesis of controlled π-extended conjugate nanostructures of 1,1'-ferrocene, 230
Acetylene dicobalthexacarbonyl adducts
Semimasked 1,1'-diethynylferrocenes: synthetic concepts, preparations, and reactions, 558
Acetylenes
Synthesis of controlled π-extended conjugate nanostructures of 1,1'-ferrocene, 230
1-Acetyl-1'-enonylferrocenes
Preparation of ferrocenyl mono- and dienone derivatives through aldol condensation of 1,1'-diacetylferrocene with aromatic aldehydes in dry conditions, 782
Acyl thiourea
Synthesis and molecular structure of a novel ferrocene-containing macrocyclic acyl thiourea derivative, 204
Alcohols
Synthesis of ferrocenylketyl radicals by chromium(II) complexes, 813
Aldol condensation
Preparation of ferrocenyl mono- and dienone derivatives through aldol condensation of 1,1'-diacetylferrocene with aromatic aldehydes in dry conditions, 782
Alkanethiol SAM on gold
Anion effect on the electrochemical characteristics of a gold electrode modified with a self-assembled monolayer of ferrocenylhexanethiol in aqueous and dichloromethane solutions, 841
Alkylation
Novel ferrocene modified *P,N*-ligands for enantioselective palladium-catalyzed allylic substitution reactions, 762
Palladium-catalyzed asymmetric allylic alkylations of cycloalkenyl acetates with planar chiral phosphino-ferrocene carboxylic acids, 845
Alkyl ferrocenes
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, 469
Alkylidyne
A comparison of ferrocenyl carbenium/non-carbenium structures in isomeric osmium cluster complexes obtained from the reaction of bis-ferrocenylbutadiyne with $Os_3(CO)_{10}(\mu$-py)($\mu$-H), 514
Alkynes
Internal ferrocenylalkynes—a comparative electrochemical and mass spectrometric study, 291
Alkynyl complexes
Synthesis, structures and electrochemistry of bis(alkynylferrocene) complexes with fluorene spacers, 159
Allenyl carbene complexes
The reaction of ferrocenyl acetylene with $[RuCp(PR_3)(CH_3CN)_2]$-$PF_6$ (R = Me, Ph, Cy). Formation of the first allenyl carbene complexes, 70
Amide coupling
Synthesis and dihydrogen phosphate binding properties of pyrrole containing *ansa*-ferrocenes, 343
Amidinates
Synthesis, reactivity, and crystal structures of ferrocene-substituted amidinate derivatives, 521
Amination
Novel ferrocene modified *P,N*-ligands for enantioselective palladium-catalyzed allylic substitution reactions, 762
Amino acid derivatives
Solution phase peptide synthesis with ferrocenyl amino acid derivatives, 349
Aminoborane
New ferrocenyl amine derivatives: *N*-silyl, *N*-stannyl and *N*-boryl ferrocenyl amines, 727
Aminosilane
New ferrocenyl amine derivatives: *N*-silyl, *N*-stannyl and *N*-boryl ferrocenyl amines, 727
Aminostannane
New ferrocenyl amine derivatives: *N*-silyl, *N*-stannyl and *N*-boryl ferrocenyl amines, 727
β-Amino sulphides
Synthesis and reactivity of achiral and of a novel planar chiral thioferrocenoylsilanes, 407
Anion complexation
Complexation and electrochemical sensing of anions by amide-substituted ferrocenyl ligands, 356
Anion effect
Anion effect on the electrochemical characteristics of a gold electrode modified with a self-assembled monolayer of ferrocenylhexanethiol in aqueous and dichloromethane solutions, 841
Anion sensing
An electrochemical study in acetonitrile of macrocyclic or open-chain ferrocene-containing oxa-aza or polyaza receptors in the presence of protons, metal cations and anions, 151
Antiestrogen
Studies on organometallic selective estrogen receptor modulators. (SERMs) Dual activity in the hydroxy-ferrocifen series, 500
Applications
Studies on the cyclometallation of ferrocenylimines, 27
Arene stacking
Conformational control of intramolecular arene stacking in ferrocene complexes bearing *tert*-butyl and pentafluorophenyl substituents, 107
Arrangement
1,1',2,2'-Tetrakis(diphenylphosphino)-4,4'-di-*tert*-butylferrocene, a new *cisoid* arrangement of phosphino groups, 126
Arsonic acid
Synthesis and characterisation of ferrocenyl-phosphonic and -arsonic acids, 216
Arylene–alkynylene
A new phthalocyanine–ferrocene conjugated dyad, 751

PII: S0022-328X(01)01225-6

Asymmetric catalysis
Palladium-catalyzed asymmetric allylic alkylations of cycloalkenyl acetates with planar chiral phosphino-ferrocene carboxylic acids, 845
Asymmetric synthesis
Asymmetric synthesis of planar chiral 2-mono- and 2,2′-disubstituted 1,1′-bisbenzoylferrocenes, 698

Baylis–Hillman adducts
Ferrocenyl substituted chlorostilbenes and butadienes, 616
Benzoferrocenes
Ferrocenes derived from cyclopenta[*l*]phenanthrene: dibenzindene–metal complexes that resist haptotropic shifts, 372
Biferrocene
Improved electrochemistry of multi-ferrocenyl compounds: investigation of biferrocene, terferrocene, bis(fulvalene)diiron and diferrocenylethane in dichloromethane using $[NBu_4][B(C_6F_5)_4]$ as supporting electrolyte, 823
Binaphthyl
Study on the synthesis of nonracemic $C_2$-symmetric 1,1′-binaphthyl-2,2′-diyl bridged ferrocene. Stereochemical result of the cross-coupling reactions controlled by Pd(II) or Pd(IV) complex intermediacy, 318
Binding constants
Synthesis and dihydrogen phosphate binding properties of pyrrole containing *ansa*-ferrocenes, 343
Binuclear ferrocene derivatives
Control of the symmetry of binuclear ferrocene derivative by using chiral substituent and its mixed-valence state, 820
Bioelectrocatalysis
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, 469
Bioorganometallic
1,1′-Ferrocenoyl–oligoprolines. A synthetic, structural and electrochemical study, 335
Bioorganometallic chemistry
Structural characterization and complexation behavior of ferrocene bearing dipeptide chain (-L-Ala-L-Pro-NHPy), 75
Bio-organometallic chemistry
Solution phase peptide synthesis with ferrocenyl amino acid derivatives, 349
Bioorganometallic chemistry
Synthesis and characterization of ferrocene-labeled oligodeoxynucleotides, 398
Biosensors
Solution phase peptide synthesis with ferrocenyl amino acid derivatives, 349
Biphenyl
Synthesis of controlled π-extended conjugate nanostructures of 1,1′-ferrocene, 230
2,2′-Bipyridylboronium cations
Multistep redox properties of 2,2′-bipyridylboronium substituted ferrocenes, 390
Bis(allyl) complexes
Reactivity of the bis(allyl)-ruthenium(IV) dimer $[\{Ru(\eta^3:\eta^3\text{-}C_{10}H_{16})(\mu\text{-}Cl)Cl\}_2]$ ($C_{10}H_{16}$ = 2,7-dimethylocta-2,6-diene-1,8-diyl) towards dppf (dppf = $[Fe(\eta^5\text{-}C_5H_4PPh_2)_2]$) and dppfO (dppfO = $[Fe(\eta^5\text{-}C_5H_4PPh_2)(\eta^5\text{-}C_5H_4P(=O)Ph_2)]$), 767
1,1′-bis(Diphenylphosphino)

-2-[1-((boronato-functionalised)amino)ethyl)]ferrocenes
Redox behavior of boronato-functionalized 1,1′-bis(diphenylphosphino)ferrocenes, 800
1,1′-Bis(diphenylphosphino)ferrocene
Reactivity of the bis(allyl)-ruthenium(IV) dimer $[\{Ru(\eta^3:\eta^3\text{-}C_{10}H_{16})(\mu\text{-}Cl)Cl\}_2]$ ($C_{10}H_{16}$ = 2,7-dimethylocta-2,6-diene-1,8-diyl) towards dppf (dppf = $[Fe(\eta^5\text{-}C_5H_4PPh_2)_2]$) and dppfO (dppfO = $[Fe(\eta^5\text{-}C_5H_4PPh_2)(\eta^5\text{-}C_5H_4P(=O)Ph_2)]$), 767
Synthesis, X-ray, spectroscopic and a preliminary Suzuki coupling screening studies of a complete series of dppfMX$_2$ (M = Pt, Pd; X = Cl, Br, I), 691
Bis(ferrocenes)
Characterization and electrochemical study of bis(ferrocenes) with a furan spacer and ferrocenophanes prepared from α-bromoacetyl substituted ferrocenes, 259
bis-(Ferrocenyl)butadiyne
A comparison of ferrocenyl carbenium/non-carbenium structures in isomeric osmium cluster complexes obtained from the reaction of bis-ferrocenylbutadiyne with $Os_3(CO)_{10}(\mu\text{-}py)(\mu\text{-}H)$, 514
Bis(ferrocenyl)mercury
Bis(ferrocenyl)mercury as a source of ferrocenyl moiety in Pd-catalyzed reactions of carbon–carbon bond formation, 653
Bis(fulvalene)diiron
Improved electrochemistry of multi-ferrocenyl compounds: investigation of biferrocene, terferrocene, bis(fulvalene)diiron and diferrocenylethane in dichloromethane using $[NBu_4][B(C_6F_5)_4]$ as supporting electrolyte, 823
Borane
Highly efficient reduction of ferrocenyl derivatives by borane, 364
α-Bromoacetyl substituted ferrocenes
Characterization and electrochemical study of bis(ferrocenes) with a furan spacer and ferrocenophanes prepared from α-bromoacetyl substituted ferrocenes, 259
Bulky cyclopentadienyl ligand
Hindering the formation of ferrocenes: mono(cyclopentadienyl)halo iron complexes $[Fe(C_5R_5)X]$ containing a sterically bulky cyclopentadienyl ligand, 786
Butatrienylidene
Allylferrocenylselenide and the synthesis of the first seleno-substituted allenylidene complex: synthesis, spectroscopy, electrochemistry and the effect of electron transfer from the ferrocenylselenyl subunit, 240

Carbon chains
Syntheses and some reactions of complexes containing carbon chains capped by ferrocenyl and W(CO)$_3$Cp groups, 484
Carbon nucleophile
($\eta^5$-$C_5H_5$)-Ring alkylation reaction with the $C_5H_5^-$ anion: towards the construction of tri-Fe complex $Fe\{[\mu,\eta^5:\eta^4\text{-}5\text{-}exo\text{-}(1'\text{-}C_5H_4)C_5H_5]Fe(CO)_2(PPh_3)\}_2$, 549
Catalysis
*ortho*-Silylation of 2,2′-bis(oxazolinyl)-1,1′-bis(diphenylphosphino)ferrocenes and remarkable effect of the silyl groups on the enantioselectivity in Pd-catalyzed asymmetric allylic alkylation, 99
Catalytic hydrogenation
Formation and structural characterization of amino-substituted [3]ferrocenophanes derived from intramolecular Mannich-type coupling reactions at the metallocene framework, 621
Cation sensing
An electrochemical study in acetonitrile of macrocyclic or open-chain ferrocene-containing oxa-aza or polyaza receptors in the presence of protons, metal cations and anions, 151
Cation symmetry
Control of the symmetry of binuclear ferrocene derivative by using chiral substituent and its mixed-valence state, 820
C–C bond formation
The reaction of ferrocenyl acetylene with $[RuCp(PR_3)(CH_3CN)_2]PF_6$ (R = Me, Ph, Cy). Formation of the first allenyl carbene complexes, 70

Charge transfer
Charge transfer spectra and photoreactivity of (*E*)-1-ferrocenyl-2-(1-methyl-4-pyridiniumyl)ethylene cation, 777
Charge-transfer complexes
Short syntheses of 8-substituted 8′-[1-(1′-phenylthio)ferrocenyl]-1,1′-binaphthyls from Suzuki coupling reactions. A strategy for generating new chiral ligands and charge-transfer complexes, 832
Chelate
Synthesis and characterisation of novel multidentate ferrocene ligands and their Re(I) and Pt(II) complexes, 418
Chiral
Chiral ferrocenylthiazolidines, new ligands for palladium complexes, 116
Chirality
(Ferrocenylmethyl)trialkyl ammoniums as template cations in optically active two-dimensional oxalate bridged [Cr–Mn] and [Cr–Ni] molecule-based magnets: synthesis and magnetic properties, 182
New chiral ferrocenyl-pyridinium salts for non-linear optics, 531
Chiral ligand
Octahedral ruthenium(II) complexes containing the chiral ligand (4*S*)-2-[(*S*$_p$)-2-(diphenylphosphino)ferrocenyl]-4-(isopropyl) oxazoline (FcPN). X-Ray crystal structures of *fac*-[$RuCl_3$(PMe$_3$)$_2$(FcPN)] and *fac*-[$RuCl_2$(dppm)(FcPN)] (dppm = bis(diphenylphosphino)methane), 463
Chiral phosphines
Short syntheses of 8-substituted 8′-[1-(1′-phenylthio)ferrocenyl]-1,1′-binaphthyls from Suzuki coupling reactions. A strategy for generating new chiral ligands and charge-transfer complexes, 832
Chromium
(Ferrocenylmethyl)trialkyl ammoniums as template cations in optically active two-dimensional oxalate bridged [Cr–Mn] and [Cr–Ni] molecule-based magnets: synthesis and magnetic properties, 182
Chromium complexes
Synthesis of ferrocenylketyl radicals by chromium(II) complexes, 813
Circular dichroism
(Ferrocenylmethyl)trialkyl ammoniums as template cations in optically active two-dimensional oxalate bridged [Cr–Mn] and [Cr–Ni] molecule-based magnets: synthesis and magnetic properties, 182
*Cisoid*
1,1′,2,2′-Tetrakis(diphenylphosphino)-4,4′-di-*tert*-butylferrocene, a new *cisoid* arrangement of phosphino groups, 126
Cluster
A comparison of ferrocenyl carbenium non-carbenium structures in isomeric osmium cluster complexes obtained from the reaction of bis-ferrocenylbutadiyne with $Os_3(CO)_{10}$(μ-py)(μ-H), 514
Synthesis, characterisation, crystal structures and electrochemistry of triosmium nitrite carbonyl clusters containing ferrocenyl phosphines, 276
Cobalt
Synthesis, reactivity, and crystal structures of ferrocene-substituted amidinate derivatives, 521
Complexes
The effect of d-block metal complexation on the spectroscopic and redox properties of ferrocene derivatives containing pyridine ligands, 304
Conformational analysis
Conformational control of intramolecular arene stacking in ferrocene complexes bearing *tert*-butyl and pentafluorophenyl substituents, 107
π-Conjugated polymers
Electrochemical determination of diffusion coefficient of π-conjugated polymers containing ferrocene unit, 809
π-Conjugation
4-Ethinyl-benzonitrile-ferrocenes bridged by a $Pd(PPh_3)_2$ unit; the solid-state structure of ($\eta^5$-$C_5H_5$)Fe($\eta^5$-$C_5H_4$C≡$CC_6H_4$C≡N-1,4), 198
Coordination
Properties of some ferrocene macrocyclic dioxotetraamines: the roles of aromatic side-arms, 327
Copper(I) complexes
Copper(I) complexes containing 1,1′-bis(diphenylphosphino) ferrocene (dppf) as a chelate ligand. X-ray crystal structures of [$Cu_2$(μ-Cl)$_2$($\kappa^2$-*P*,*P*-dppf)$_2$] and [Cu(CN$^t$Bu)$_2$($\kappa^2$-*P*,*P*-dppf)][$BF_4$], 677
Coupling reactions
Synthesis of controlled π-extended conjugate nanostructures of 1,1′-ferrocene, 230
Cp-ring alkylation
($\eta^5$-$C_5H_5$)-Ring alkylation reaction with the $C_5H_5^-$ anion: towards the construction of tri-Fe complex Fe{[μ,$\eta^5$:$\eta^4$-5-*exo*-(1′-$C_5H_4$)$C_5H_5$]Fe(CO)$_2$($PPh_3$)}$_2$, 549
Cross-coupling
Study on the synthesis of nonracemic $C_2$-symmetric 1,1′-binaphthyl-2,2′-diyl bridged ferrocene. Stereochemical result of the cross-coupling reactions controlled by Pd(II) or Pd(IV) complex intermediacy, 318
Synthesis and characterization of ferrocene-labeled oligodeoxynucleotides, 398
Cross-coupling reactions
Bis(ferrocenyl)mercury as a source of ferrocenyl moiety in Pd-catalyzed reactions of carbon–carbon bond formation, 653
Crown thioethers
Synthetic, electrochemical, and structural studies on heterobimetallic crown thioether complexes with Group 10 metals: the crystal structures of [Pt(9S3)(dppf)]($PF_6$)$_2$·$CH_3NO_2$ and [Pd(9S3)(dppf)]($PF_6$)$_2$·$CH_3NO_2$, 683
Crystal engineering
Conformational control of intramolecular arene stacking in ferrocene complexes bearing *tert*-butyl and pentafluorophenyl substituents, 107
Organometallic building blocks for crystal engineering. Synthesis, structure and hydrogen bonding interactions in [Fe($\eta^5$-$C_5H_4$–$CH_2$($CH_3$)OH)$_2$], [Fe($\eta^5$-$C_5H_3$($CH_3$)COOH)$_2$], [Fe($\eta^5$-$C_5H_4$CH($CH_3$)NH($\eta^5$-$C_5H_4$CH($CH_3$))] and in the diaminecyclohexane salt [Fe($\eta^5$-$C_5H_4$$COO)_2]^{2-}$·[(1*S*,2*S*)-$(NH_3)_2C_6H_{10}]^{2+}$·2[$H_2O$], 609
Crystal packing
New chiral ferrocenyl-pyridinium salts for non-linear optics, 531
Structural characterization and complexation behavior of ferrocene bearing dipeptide chain (-L-Ala-L-Pro-NHPy), 75
Crystal structures
A re-examination of the reaction between 1,1′-bis(diphenylphosphino)ferrocene (dppf) diselenide and [$Ru_3(CO)_{12}$]. Electrochemical behaviour of the isomeric *nido*-clusters [$Ru_3$(μ$_3$-Se)$_2$(dppf)(CO)$_7$] and [$Ru_3$(μ$_3$-Se)$_2$(μ-dppf)(CO)$_7$] and crystal structure of [$Ru_3$Se{μ-P(Ph)$C_5H_4$$FeC_5H_4$-$PPh_2$}(μ-OCPh)(CO)$_6$], 586
Bis[bis(trimethylsilyl)cyclopentadienyl]selane as a ligand: selena-2,2′,4,4′-tetrakis(trimethylsilyl)-[1]ferrocenophane and 1,2,3-triselena-2,2′,4,4′-tetrakis(trimethylsilyl)-[3]ferrocenophane, 745
Ferrocene substituted nitronyl nitroxide and imino nitroxide radicals. Synthesis, X-ray structure and magnetic properties, 507

1,1′-Ferrocenoyl–oligoprolines. A synthetic, structural and electrochemical study, 335
Iron(II) versus osmium(II) oxidation in 1,1′-bis(diorganophosphino)ferrocene–osmium(II) complexes, 167
Synthesis and characterisation of ferrocenyl-phosphonic and -arsonic acids, 216
Synthesis and characterisation of rhodium(0) and rhodium(−1) complexes stabilised by 1,1′-bis(diphenylphosphino)ferrocene (dppf). Crystal structures of $[Rh(dppf)_2]$ and $[Na(THF)_3][Rh(dppf)_2]\cdot THF$, 710
Synthesis and molecular structure of a novel ferrocene-containing macrocyclic acyl thiourea derivative, 204
Synthesis, structures and electrochemical properties of Group 6 metal carbonyl complexes containing ferrocenylpyrazole ligands, 209
Synthesis, structures and electrochemistry of bis(alkynylferrocene) complexes with fluorene spacers, 159
Synthetic, electrochemical, and structural studies on heterobimetallic crown thioether complexes with Group 10 metals: the crystal structures of $[Pt(9S3)(dppf)](PF_6)_2\cdot CH_3NO_2$ and $[Pd(9S3)(dppf)](PF_6)_2\cdot CH_3NO_2$, 683
Technetium and rhenium heterocomplexes containing the diphenylphosphinoferrocenyl fragment, 772
The linear and nonlinear optical properties of organometallic chromophores derived from ferrocene. $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C\text{-}CH_3)]^+[BF_4]^-$ and terthienyl spacers. Crystal structure of 2-[(*E*)-2-ferrocenylethenyl]-5-(2-thienyl)thiophene, 435
The reaction of ferrocene with mercuric chloride revisited: $'Cp_2Fe^*2HgCl_2' = [(C_5H_5)Fe(C_5H_4HgCl)]_2[Hg_2Cl_6]$, comparison of its molecular structure with that of chloromercuriferrocene, 796

Cyclic voltametry
[2 + 2 + 2] Cyclotrimerisation of bisaryl acetylene bearing ferrocenyl units with planar chirality: synthesis of enantiopure conjugated polyferrocene complexes, 84

Cyclic voltammetry
Allylferrocenylselenide and the synthesis of the first seleno-substituted allenylidene complex: synthesis, spectroscopy, electrochemistry and the effect of electron transfer from the ferrocenylselenyl subunit, 240
Electron acceptors of the fluorene series: Part 12. 9-(Metalloceneylidene)nitrofluorene derivatives of Fc–NF, NF–Fc–NF, and NF–Rc–NF types, and the vinylogues Fc–π–NF: synthesis, characterisation, intramolecular charge transfer, redox properties and X-ray structures for three fluorene–ferrocene derivatives, 445
4-Ethinyl-benzonitrile-ferrocenes bridged by a $Pd(PPh_3)_2$ unit; the solid-state structure of $(\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4C{\equiv}CC_6H_4C{\equiv}N\text{-}1,4)$, 198
Improved electrochemistry of multi-ferrocenyl compounds: investigation of biferrocene, terferrocene, bis(fulvalene)diiron and diferrocenylethane in dichloromethane using $[NBu_4][B(C_6F_5)_4]$ as supporting electrolyte, 823
Multistep redox properties of 2,2′-bipyridylboronium substituted ferrocenes, 390
Properties of some ferrocene macrocyclic dioxotetraamines: the roles of aromatic side-arms, 327
Ruthenium(II) complexes containing 4-ferrocenylphenylisocyanide ligands. Crystal structure of *trans, trans, trans*-$[RuCl_2(POMe\text{–}P)_2(FcC_6H_4NC)_2]$ (POMe = $PPh_2C_6H_4OCH_3$; Fc = ferrocenyl), 145
Synthesis and crystal structure of 1,1′-bis[4-(2,2′:6′,2″-terpyridin-4′-yl)phenyl]octamethylferrocene, 733
Synthesis, structures and electrochemical properties of Group 6 metal carbonyl complexes containing ferrocenylpyrazole ligands, 209
Synthesis, structures and electrochemistry of bis(alkynylferrocene) complexes with fluorene spacers, 159
The effect of d-block metal complexation on the spectroscopic and redox properties of ferrocene derivatives containing pyridine ligands, 304

Cycloaddition
Syntheses and some reactions of complexes containing carbon chains capped by ferrocenyl and $W(CO)_3Cp$ groups, 484

Cyclometallation
Cyclopalladated ferrocenylimines: highly active catalysts for Heck reactions, 793
Novel cyclopalladated ferrocenyl Schiff base compounds with bridging and chelating diphosphines. Crystal and molecular structure of $[\{Pd[(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_3)C(H){=}N\text{-}2,4,6\text{-}Me_3C_6H_2]\}\{Ph_2P(CH_2)_nPPh_2\text{-}P,P'\}][PF_6]$ ($n$ = 1, 2), 577
Studies on the cyclometallation of ferrocenylimines, 27

Cyclopentadienes
Synthesis and crystal structure of 1,1′-bis[4-(2,2′:6′,2″-terpyridin-4′-yl)phenyl]octamethylferrocene, 733

Cyclopentadienyl
Bis[bis(trimethylsilyl)cyclopentadienyl]selane as a ligand: selena-2,2′,4,4′-tetrakis(trimethylsilyl)-[1]ferrocenophane and 1,2,3-triselena-2,2′,4,4′-tetrakis(trimethylsilyl)-[3]ferrocenophane, 745

Cyclopenta[*l*]phenanthrene
Ferrocenes derived from cyclopenta[*l*]phenanthrene: dibenzindene–metal complexes that resist haptotropic shifts, 372

Cyclophosphazene
Synthesis and characterization of ferrocenylalcohol derivatives of hexachlorocyclotriphosphazene. X-ray crystal structure of $N_3P_3Cl_5OCH_2CH_2C_5H_4FeCp$, 284

Cyclotrimerisation
[2 + 2 + 2] Cyclotrimerisation of bisaryl acetylene bearing ferrocenyl units with planar chirality: synthesis of enantiopure conjugated polyferrocene complexes, 84

Cyclotriveratrylene
Complexation and electrochemical sensing of anions by amide-substituted ferrocenyl ligands, 356

Cytotoxicity
Studies on organometallic selective estrogen receptor modulators. (SERMs) Dual activity in the hydroxy-ferrocifen series, 500

Dendrimers
Functionalization via hydrosilylation of linear and cyclic siloxanes with appendent first generation dendrons containing electronically communicated ferrocenyl units, 642
Water soluble ferrocenyl and polyferrocenyl compounds: synthesis and electrochemistry, 595

1,1′-Diacetylferrocene
Preparation of ferrocenyl mono- and dienone derivatives through aldol condensation of 1,1′-diacetylferrocene with aromatic aldehydes in dry conditions, 782

Diacylhydrazine
Synthesis, spectroscopy and biological activity of novel acylhydrazines containing ferrocenyl moiety, 94

Diels–Alder reaction
Synthesis and reactivity of achiral and of a novel planar chiral thioferrocenoylsilanes, 407

1,1′-Dienonylferrocenes
Preparation of ferrocenyl mono- and dienone derivatives through aldol condensation of 1,1′-diacetylferrocene with aromatic aldehydes in dry conditions, 782

Diffusion coefficient
Electrochemical determination of diffusion coefficient of π-conjugated polymers containing ferrocene unit, 809

Dipeptide
Structural characterization and complexation behavior of ferrocene bearing dipeptide chain (-L-Ala-L-Pro-NHPy), 75
Diphenylphosphinoferrocene
Technetium and rhenium heterocomplexes containing the diphenylphosphinoferrocenyl fragment, 772
Diphosphine
Palladium(II) phosphine thiocarboxylates. Structures of *cis*-Pd(κ*S*-SOCMe)$_2$(dppf) [dppf = 1,1′-bis(diphenylphosphino)ferrocene] and *trans*-Pd(κ*S*-SOCMe)$_2$(PPh$_3$)$_2$, 757
Diphosphine ligands
Synthetic, electrochemical, and structural studies on heterobimetallic crown thioether complexes with Group 10 metals: the crystal structures of [Pt(9S3)(dppf)](PF$_6$)$_2$·CH$_3$NO$_2$ and [Pd(9S3)(dppf)](PF$_6$)$_2$·CH$_3$NO$_2$, 683
Diynes
Synthesis of controlled π-extended conjugate nanostructures of 1,1′-ferrocene, 230
DNA·RNA hetero duplex
Ferrocenyl naphthalene diimide can bind to DNA·RNA hetero duplex: potential use in an electrochemical detection of mRNA expression, 476
dppf
Copper(I) complexes containing 1,1′-bis(diphenylphosphino) ferrocene (dppf) as a chelate ligand. X-ray crystal structures of [Cu$_2$(μ-Cl)$_2$(κ$^2$-*P*,*P*-dppf)$_2$] and [Cu(CN$^t$Bu)$_2$(κ$^2$-*P*,*P*-dppf)][BF$_4$], 677

(*E*)- and (*Z*)-isomers
Synthesis of controlled π-extended conjugate nanostructures of 1,1′-ferrocene, 230
EHMO calculations
Ferrocenes derived from cyclopenta[*l*]phenanthrene: dibenzindene–metal complexes that resist haptotropic shifts, 372
Electrochemical behaviour
A re-examination of the reaction between 1,1′-bis(diphenylphosphino)ferrocene (dppf) diselenide and [Ru$_3$(CO)$_{12}$]. Electrochemical behaviour of the isomeric *nido*-clusters [Ru$_3$(μ$_3$-Se)$_2$(dppf)(CO)$_7$] and [Ru$_3$(μ$_3$-Se)$_2$(μ-dppf)(CO)$_7$] and crystal structure of [Ru$_3$Se{μ-P(Ph)C$_5$H$_4$FeC$_5$H$_4$PPh$_2$}(μ-OCPh)(CO)$_6$], 586
Electrochemical detection
Ferrocenyl naphthalene diimide can bind to DNA·RNA hetero duplex: potential use in an electrochemical detection of mRNA expression, 476
Electrochemical recognition
Complexation and electrochemical sensing of anions by amide-substituted ferrocenyl ligands, 356
Electrochemical sensor
Synthesis and dihydrogen phosphate binding properties of pyrrole containing *ansa*-ferrocenes, 343
Electrochemistry
An electrochemical study in acetonitrile of macrocyclic or open-chain ferrocene-containing oxa-aza or polyaza receptors in the presence of protons, metal cations and anions, 151
Characterization and electrochemical study of bis(ferrocenes) with a furan spacer and ferrocenophanes prepared from α-bromoacetyl substituted ferrocenes, 259
Diferrocenyltriphosphines 2. Reversible phosphine deligation in the chemistry of diferrocenyltriphosphine Ru(II) dichloride complexes with nitriles and pyridines: towards a pH-switchable catalyst?, 538
Facile synthesis of bidimensional ferrocenyl-based branched oligomers by palladium-catalyzed coupling reactions, 191
Functionalization via hydrosilylation of linear and cyclic siloxanes with appendent first generation dendrons containing electronically communicated ferrocenyl units, 642
Improved electrochemistry of multi-ferrocenyl compounds: investigation of biferrocene, terferrocene, bis(fulvalene)diiron and diferrocenylethane in dichloromethane using [NBu$_4$][B(C$_6$F$_5$)$_4$] as supporting electrolyte, 823
Internal ferrocenylalkynes—a comparative electrochemical and mass spectrometric study, 291
Iron(II) versus osmium(II) oxidation in 1,1′-bis(diorganophosphino)ferrocene–osmium(II) complexes, 167
Redox behavior of boronato-functionalized 1,1′-bis(diphenylphosphino)ferrocenes, 800
Solution phase peptide synthesis with ferrocenyl amino acid derivatives, 349
Star-shaped polyferrocenes based on thiophene and triphenylamine: synthesis, spectroscopy and electrochemistry, 139
Synthesis, characterisation, crystal structures and electrochemistry of triosmium nitrite carbonyl clusters containing ferrocenyl phosphines, 276
Synthetic, electrochemical, and structural studies on heterobimetallic crown thioether complexes with Group 10 metals: the crystal structures of [Pt(9S3)(dppf)](PF$_6$)$_2$·CH$_3$NO$_2$ and [Pd(9S3)(dppf)](PF$_6$)$_2$·CH$_3$NO$_2$, 683
Voltammetric metal cation sensors based on ferrocene derivatives with oxazoline and imine substituents, 134
Water soluble ferrocenyl and polyferrocenyl compounds: synthesis and electrochemistry, 595
Electron acceptors
Electron acceptors of the fluorene series: Part 12. 9-(Metalloceneylidene)nitrofluorene derivatives of Fc–NF, NF–Fc–NF, and NF–Rc–NF types, and the vinylogues Fc–π–NF: synthesis, characterisation, intramolecular charge transfer, redox properties and X-ray structures for three fluorene–ferrocene derivatives, 445
Electronic communication
Functionalization via hydrosilylation of linear and cyclic siloxanes with appendent first generation dendrons containing electronically communicated ferrocenyl units, 642
Electronic interaction
Synthesis of a new bis(ferrocenyl)ruthenacyclopentatriene compound with a significant inter-metal electronic communication, 80
Electronic spectra
Charge transfer spectra and photoreactivity of (*E*)-1-ferrocenyl-2-(1-methyl-4-pyridiniumyl)ethylene cation, 777
Electron transfer
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, 469
Electron-transfer chain catalysis
(η$^5$-C$_5$H$_5$)-Ring alkylation reaction with the C$_5$H$_5^-$ anion: towards the construction of tri-Fe complex Fe{[μ,η$^5$:η$^4$-5-*exo*-(1′-C$_5$H$_4$)C$_5$H$_5$]Fe(CO)$_2$(PPh$_3$)}$_2$, 549
Electrospray mass spectrometry
Synthesis and characterisation of ferrocenyl-phosphonic and -arsonic acids, 216
Enantioselectivity
*ortho*-Silylation of 2,2′-bis(oxazolinyl)-1,1′-bis(diphenylphosphino)ferrocenes and remarkable effect of the silyl groups on the enantioselectivity in Pd-catalyzed asymmetric allylic alkylation, 99
Epoxy resins
Synthesis of new ferrocene containing diamines and their use in epoxy resins, 837
EPR spectroscopy
Iron(II) versus osmium(II) oxidation in 1,1′-bis(diorganophosphino)ferrocene–osmium(II) complexes, 167

ESR
Ferrocene as a ferromagnetic coupler. Synthesis and characterization of a ferrocene bridged polychlorotriphenylmethyl diradical, 251
Ethynylferrocenes
Semimasked 1,1′-diethynylferrocenes: synthetic concepts, preparations, and reactions, 558

$^{57}$Fe Mössbauer spectroscopy
Control of the symmetry of binuclear ferrocene derivative by using chiral substituent and its mixed-valence state, 820
Ferricenium
The reaction of ferrocene with mercuric chloride revisited: '$Cp_2Fe*2HgCl_2$' = $[(C_5H_5)Fe(C_5H_4HgCl)]_2[Hg_2Cl_6]$, comparison of its molecular structure with that of chloromercuriferrocene, 796
Ferricenium ions
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, 469
Ferrocene
Allylferrocenylselenide and the synthesis of the first seleno-substituted allenylidene complex: synthesis, spectroscopy, electrochemistry and the effect of electron transfer from the ferrocenylselenyl subunit, 240
An electrochemical study in acetonitrile of macrocyclic or open-chain ferrocene-containing oxa-aza or polyaza receptors in the presence of protons, metal cations and anions, 151
A new phthalocyanine–ferrocene conjugated dyad, 751
Anion effect on the electrochemical characteristics of a gold electrode modified with a self-assembled monolayer of ferrocenylhexanethiol in aqueous and dichloromethane solutions, 841
Chiral ferrocenylthiazolidines, new ligands for palladium complexes, 116
Complexation and electrochemical sensing of anions by amide-substituted ferrocenyl ligands, 356
Conformational control of intramolecular arene stacking in ferrocene complexes bearing *tert*-butyl and pentafluorophenyl substituents, 107
Diferrocenyltriphosphines 2. Reversible phosphine deligation in the chemistry of diferrocenyltriphosphine Ru(II) dichloride complexes with nitriles and pyridines: towards a pH-switchable catalyst?, 538
Electron acceptors of the fluorene series: Part 12. 9-(Metalloceneylidene)nitrofluorene derivatives of Fc–NF, NF–Fc–NF, and NF–Rc–NF types, and the vinylogues Fc–π–NF: synthesis, characterisation, intramolecular charge transfer, redox properties and X-ray structures for three fluorene–ferrocene derivatives, 445
Electrostatic field effects manifested in ferrocenyl metal complexes and the crystal structure of $[Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5H_4CH{=}NNHC_5H_4N)]\cdot HCl$, 311
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, 469
4-Ethinyl-benzonitrile-ferrocenes bridged by a $Pd(PPh_3)_2$ unit: the solid-state structure of $(\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4C{\equiv}CC_6H_4C{\equiv}N\text{-}1,4)$, 198
Ferrocene as a ferromagnetic coupler. Synthesis and characterization of a ferrocene bridged polychlorotriphenylmethyl diradical, 251
Ferrocene derivatives (I). Synthesis and X-ray structure determination of *N*-*o*-methylphenylferrocenesulfonamide, 738
Ferrocene polymers: current architectures, syntheses and utility, 47
Ferrocene substituted nitronyl nitroxide and imino nitroxide radicals. Synthesis, X-ray structure and magnetic properties, 507
1,1′-Ferrocenoyl–oligoprolines. A synthetic, structural and electrochemical study, 335
Formation and structural characterization of amino-substituted [3]ferrocenophanes derived from intramolecular Mannich-type coupling reactions at the metallocene framework, 621
Functionalization via hydrosilylation of linear and cyclic siloxanes with appendent first generation dendrons containing electronically communicated ferrocenyl units, 642
Highly efficient reduction of ferrocenyl derivatives by borane, 364
Hindering the formation of ferrocenes: mono(cyclopentadienyl)halo iron complexes $[Fe(C_5R_5)X]$ containing a sterically bulky cyclopentadienyl ligand, 786
Internal ferrocenylalkynes—a comparative electrochemical and mass spectrometric study, 291
Multistep redox properties of 2,2′-bipyridylboronium substituted ferrocenes, 390
New chiral ferrocenyl-pyridinium salts for non-linear optics, 531
New ferrocenyl amine derivatives: *N*-silyl, *N*-stannyl and *N*-boryl ferrocenyl amines, 727
*ortho*-Silylation of 2,2′-bis(oxazolinyl)-1,1′-bis(diphenylphosphino)ferrocenes and remarkable effect of the silyl groups on the enantioselectivity in Pd-catalyzed asymmetric allylic alkylation, 99
Palladium-catalyzed asymmetric allylic alkylations of cycloalkenyl acetates with planar chiral phosphino-ferrocene carboxylic acids, 845
Preparation of 1,5-diketone derivatives containing ferrocenyl by Michael reaction under solvent-free condition, 719
Properties of some ferrocene macrocyclic dioxotetraamines: the roles of aromatic side-arms, 327
Reactions of ferrocene-derived bis(hydroxymethyl) phosphine sulfides $FcCH(R)P(S)(CH_2OH)_2$ (R = H, $CH_3$) with cyclic thionylphosphazenes: crystal structures of $FcCH_2P(S)(CH_2O)_2PN(NPCl_2)[NS(O)Ph]$ and $FcCH_2P(S)(CH_2O)_2PN_2P[N(Me)CH_2]_2[NS(O)Ph]$ (Fc = ferrocenyl), 382
Ruthenium(II) complexes containing 4-ferrocenylphenylisocyanide ligands. Crystal structure of *trans*, *trans*, *trans*-$[RuCl_2(POMe\text{–}P)_2(FcC_6H_4NC)_2]$ ($POMe = PPh_2C_6H_4\text{-}OCH_3$; Fc = ferrocenyl), 145
Second harmonic generation in ferrocene based hydrogen bonded assemblies, 827
Solution phase peptide synthesis with ferrocenyl amino acid derivatives, 349
Star-shaped polyferrocenes based on thiophene and triphenylamine: synthesis, spectroscopy and electrochemistry, 139
Structural characterization and complexation behavior of ferrocene bearing dipeptide chain (-L-Ala-L-Pro-NHPy), 75
Studies on organometallic selective estrogen receptor modulators. (SERMs) Dual activity in the hydroxy-ferrocifen series, 500
Study on the synthesis of nonracemic $C_2$-symmetric 1,1′-binaphthyl-2,2′-diyl bridged ferrocene. Stereochemical result of the cross-coupling reactions controlled by Pd(II) or Pd(IV) complex intermediacy, 318
Synthesis and characterisation of ferrocenyl-phosphonic and -arsonic acids, 216
Synthesis and characterization of ferrocene-labeled oligodeoxynucleotides, 398
Synthesis and dihydrogen phosphate binding properties of pyrrole containing *ansa*-ferrocenes, 343
Synthesis and reactivity of achiral and of a novel planar chiral thioferrocenoylsilanes, 407
Synthesis and structure of an alkylgallium bridged [1,1]ferrocenophane, 300

Synthesis, characterisation, crystal structures and electrochemistry of triosmium nitrite carbonyl clusters containing ferrocenyl phosphines, 276
Synthesis of a new bis(ferrocenyl)ruthenacyclopentatriene compound with a significant inter-metal electronic communication, 80
Synthesis of 1′,1‴-bis(heterocyclyl)biferrocene compounds, 723
Synthesis of new ferrocene containing diamines and their use in epoxy resins, 837
Synthesis, spectroscopy and biological activity of novel acylhydrazines containing ferrocenyl moiety, 94
Synthesis, structures and electrochemistry of bis(alkynylferrocene) complexes with fluorene spacers, 159
The effect of d-block metal complexation on the spectroscopic and redox properties of ferrocene derivatives containing pyridine ligands, 304
The linear and nonlinear optical properties of organometallic chromophores derived from ferrocene, $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C\text{–}CH_3)]^+[BF_4]^-$ and terthienyl spacers. Crystal structure of 2-[(*E*)-2-ferrocenylethenyl]-5-(2-thienyl)thiophene, 435
The reaction of ferrocene with mercuric chloride revisited: '$Cp_2Fe^*2HgCl_2$' = $[(C_5H_5)Fe(C_5H_4HgCl)]_2[Hg_2Cl_6]$, comparison of its molecular structure with that of chloromercuriferrocene, 796
Voltammetric metal cation sensors based on ferrocene derivatives with oxazoline and imine substituents, 134
Ferrocenecarboxaldehydes
Knoevenagel condensation of ferrocenyl substituted carboxaldehydes with methylene active compounds on inorganic supports and the NLO properties of the resulting push–pull alkenes, 426
Ferrocenecarboxylic anhydride
Synthesis, spectroscopy and biological activity of novel acylhydrazines containing ferrocenyl moiety, 94
Ferrocene compounds
Charge transfer spectra and photoreactivity of (*E*)-1-ferrocenyl-2-(1-methyl-4-pyridiniumyl)ethylene cation, 777
Iron(II) versus osmium(II) oxidation in 1,1′-bis(diorganophosphino)ferrocene–osmium(II) complexes, 167
Ferrocene-containing polymers
Electrochemical determination of diffusion coefficient of π-conjugated polymers containing ferrocene unit, 809
Ferrocene derivatives
Synthesis and molecular structure of a novel ferrocene-containing macrocyclic acyl thiourea derivative, 204
Ferrocenediyl-bridged tri-Fe complex
($\eta^5$-$C_5H_5$)-Ring alkylation reaction with the $C_5H_5^-$ anion: towards the construction of tri-Fe complex $Fe\{[\mu,\eta^5{:}\eta^4\text{-}5\text{-}exo\text{-}(1'\text{-}C_5H_4)C_5H_5]Fe(CO)_2(PPh_3)\}_2$, 549
Ferrocene half-sandwich
Bonding in 'closed,' open, and half-open ferrocenes: new insight from structural and Mössbauer spectroscopic studies, 172
Ferrocene ligands
Synthesis, reactivity, and crystal structures of ferrocene-substituted amidinate derivatives, 521
Ferrocene metal cluster
Syntheses and some reactions of complexes containing carbon chains capped by ferrocenyl and $W(CO)_3Cp$ groups, 484
Ferrocenes
A rapid approach to ferrocenophanes via ring-closing metathesis, 669
Bis(ferrocenyl)mercury as a source of ferrocenyl moiety in Pd-catalyzed reactions of carbon–carbon bond formation, 653
Facile synthesis of bidimensional ferrocenyl-based branched oligomers by palladium-catalyzed coupling reactions, 191
Synthesis of controlled π-extended conjugate nanostructures of 1,1′-ferrocene, 230
Synthesis of ferrocenylketyl radicals by chromium(II) complexes, 813
Ferrocenesulfonamide
Ferrocene derivatives (I). Synthesis and X-ray structure determination of *N*-*o*-methylphenylferrocenesulfonamide, 738
Ferrocenesulfonyl chloride
Ferrocene derivatives (I). Synthesis and X-ray structure determination of *N*-*o*-methylphenylferrocenesulfonamide, 738
Ferrocenium ion rearrangement
Redox behavior of boronato-functionalized 1,1′-bis(diphenylphosphino)ferrocenes, 800
Ferrocenophane
Synthesis and structure of an alkylgallium bridged [1,1]ferrocenophane, 300
[1]Ferrocenophane
Bis[bis(trimethylsilyl)cyclopentadienyl]selane as a ligand: selena-2,2′,4,4′-tetrakis(trimethylsilyl)-[1]ferrocenophane and 1,2,3-triselena-2,2′,4,4′-tetrakis(trimethylsilyl)-[3] ferrocenophane, 745
[3]Ferrocenophane
Bis[bis(trimethylsilyl)cyclopentadienyl]selane as a ligand: selena-2,2′,4,4′-tetrakis(trimethylsilyl)-[1]ferrocenophane and 1,2,3-triselena-2,2′,4,4′-tetrakis(trimethylsilyl)-[3] ferrocenophane, 745
Ferrocenophanes
Characterization and electrochemical study of bis(ferrocenes) with a furan spacer and ferrocenophanes prepared from α-bromoacetyl substituted ferrocenes, 259
[1]Ferrocenophanes
Synthesis and characterization of new germylferrocenyl, germylferrocenophane and polymeric germyleneferrocenylene systems, 664
Ferrocenophanes
A rapid approach to ferrocenophanes via ring-closing metathesis, 669
Formation and structural characterization of amino-substituted [3]ferrocenophanes derived from intramolecular Mannich-type coupling reactions at the metallocene framework, 621
Ferrocenoyl equivalent
An investigation of the chemistry of ferrocenoyl derivatives. The synthesis and reactions of ferrocenoyl imidazolide and its derivatives, 266
Ferrocenoyl imidazolide
An investigation of the chemistry of ferrocenoyl derivatives. The synthesis and reactions of ferrocenoyl imidazolide and its derivatives, 266
Ferrocenyl
(Ferrocenylmethyl)trialkyl ammoniums as template cations in optically active two-dimensional oxalate bridged [Cr–Mn] and [Cr–Ni] molecule-based magnets: synthesis and magnetic properties, 182
Ferrocenylalcohols
Synthesis and characterization of ferrocenylalcohol derivatives of hexachlorocyclotriphosphazene. X-ray crystal structure of $N_3P_3Cl_5OCH_2CH_2C_5H_4FeCp$, 284
Ferrocenyl amines
Metal-directed assembly of polyferrocenyl transition metal dithiocarbamate macrocyclic molecular boxes, 89
Ferrocenyl–carbenium
A comparison of ferrocenyl carbenium/non-carbenium structures in isomeric osmium cluster complexes obtained from the reaction of bis-ferrocenylbutadiyne with $Os_3(CO)_{10}(\mu\text{-}py)(\mu\text{-}H)$, 514

Ferrocenyl complexes
[2 + 2 + 2] Cyclotrimerisation of bisaryl acetylene bearing ferrocenyl units with planar chirality: synthesis of enantiopure conjugated polyferrocene complexes, 84
Ferrocenyl compounds
Water soluble ferrocenyl and polyferrocenyl compounds: synthesis and electrochemistry, 595
Ferrocenyl-derived ligands
Novel ferrocene modified *P,N*-ligands for enantioselective palladium-catalyzed allylic substitution reactions, 762
1,1′-Ferrocenyl diketones
Asymmetric synthesis of planar chiral 2-mono- and 2,2′-disubstituted 1,1′-bisbenzoylferrocenes, 698
Ferrocenylene phosphine
Palladium(II) phosphine thiocarboxylates. Structures of *cis*-Pd(κ*S*-SOCMe)$_2$(dppf) [dppf = 1,1′-bis(diphenylphosphino)ferrocene] and *trans*-Pd(κ*S*-SOCMe)$_2$(PPh$_3$)$_2$, 757
Ferrocenylimine
Cyclopalladated ferrocenylimines: highly active catalysts for Heck reactions, 793
Studies on the cyclometallation of ferrocenylimines, 27
Ferrocenyl naphthalene diimide
Ferrocenyl naphthalene diimide can bind to DNA·RNA hetero duplex: potential use in an electrochemical detection of mRNA expression, 476
Ferrocenyloxazoline
Octahedral ruthenium(II) complexes containing the chiral ligand (4*S*)-2-[(*S*$_p$)-2-(diphenylphosphino)ferrocenyl]-4-(isopropyl)oxazoline (FcPN). X-Ray crystal structures of *fac*-[RuCl$_2$(PMe$_3$)$_2$(FcPN)] and *fac*-[RuCl$_2$(dppm)(FcPN)] (dppm = bis(diphenylphosphino)methane), 463
Ferrocenylphosphine
Octahedral ruthenium(II) complexes containing the chiral ligand (4*S*)-2-[(*S*$_p$)-2-(diphenylphosphino)ferrocenyl]-4-(isopropyl)oxazoline (FcPN). X-Ray crystal structures of *fac*-[RuCl$_2$(PMe$_3$)$_2$(FcPN)] and *fac*-[RuCl$_2$(dppm)(FcPN)] (dppm = bis(diphenylphosphino)methane), 463
Ferrocenyl phosphine
Synthesis and characterisation of rhodium(0) and rhodium(−1) complexes stabilised by 1,1′-bis(diphenylphosphino)-ferrocene (dppf). Crystal structures of [Rh(dppf)$_2$] and [Na(THF)$_5$][Rh(dppf)$_2$]·THF, 710
Ferrocenylpyrazole
Synthesis, structures and electrochemical properties of Group 6 metal carbonyl complexes containing ferrocenylpyrazole ligands, 209
Ferrocenyl substituted olefins
Ferrocenyl substituted chlorostilbenes and butadienes, 616
4-Ferrocenyl-2-thiazolamine
Ferrocene derivatives (II). Synthesis and reactions of 4-ferrocenyl-2-thiazolamine, 742
Ferromagnetism
Ferrocene as a ferromagnetic coupler. Synthesis and characterization of a ferrocene bridged polychlorotriphenylmethyl diradical, 251
Fluorene
Synthesis, structures and electrochemistry of bis(alkynylferrocene) complexes with fluorene spacers, 159

Gallium
Synthesis and structure of an alkylgallium bridged [1.1]ferrocenophane, 300
Germyleneferrocenylene systems
Synthesis and characterization of new germylferrocenyl, germylferrocenophane and polymeric germyleneferrocenylene systems, 664
Germylferrocenophane
Synthesis and characterization of new germylferrocenyl, germylferrocenophane and polymeric germyleneferrocenylene systems, 664
Glucose oxidase
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, 469
Group IX and X complexes
1,1′,2,2′-Tetrakis(diphenylphosphino)-4,4′-di-*tert*-butylferrocene, a new *cisoid* arrangement of phosphino groups, 126

Half-sandwich complexes
Hindering the formation of ferrocenes: mono(cyclopentadienyl)halo iron complexes [Fe(C$_5$R$_5$)X] containing a sterically bulky cyclopentadienyl ligand, 786
Haptotropic shifts
Ferrocenes derived from cyclopenta[*l*]phenanthrene: dibenzindene–metal complexes that resist haptotropic shifts, 372
Heck reaction
Cyclopalladated ferrocenylimines: highly active catalysts for Heck reactions, 793
Heterocyclylbiferrocene
Synthesis of 1′,1‴-bis(heterocyclyl)biferrocene compounds, 723
Homocoupling
Synthesis of 1′,1‴-bis(heterocyclyl)biferrocene compounds, 723
Horner–Wadsworth–Emmons reaction
Ferrocenyl substituted chlorostilbenes and butadienes, 616
Hydrazones
Asymmetric synthesis of planar chiral 2-mono- and 2,2′-disubstituted 1,1′-bisbenzoylferrocenes, 698
Hydride abstraction
(η$^5$-C$_5$H$_5$)-Ring alkylation reaction with the C$_5$H$_5^-$ anion: towards the construction of tri-Fe complex Fe{[μ,η$^5$:η$^4$-5-*exo*-(1′-C$_5$H$_4$)C$_5$H$_5$]Fe(CO)$_2$(PPh$_3$)}$_2$, 549
Hydrogen bond
Structural characterization and complexation behavior of ferrocene bearing dipeptide chain (-L-Ala-L-Pro-NHPy), 75
Hydrogen bonding
Second harmonic generation in ferrocene based hydrogen bonded assemblies, 827
Synthesis and molecular structure of a novel ferrocene-containing macrocyclic acyl thiourea derivative, 204
Hydrogen bonds
Organometallic building blocks for crystal engineering. Synthesis, structure and hydrogen bonding interactions in [Fe(η$^5$-C$_5$H$_4$–CH$_2$(CH$_3$)OH)$_2$], [Fe(η$^5$-C$_5$H$_4$(CH$_3$)COOH)$_2$], [Fe(η$^5$-C$_5$H$_4$CH(CH$_3$)NH(η$^5$-C$_5$H$_4$CH(CH$_3$))] and in the diaminecyclohexane salt [Fe(η$^5$-C$_5$H$_4$COO)$_2$]$^{2-}$ [(1*S*,2*S*)-(NH$_3$)$_2$C$_6$H$_{10}$]$^{2+}$·2[H$_2$O], 609
Hydrosilylation
Functionalization via hydrosilylation of linear and cyclic siloxanes with appendent first generation dendrons containing electronically communicated ferrocenyl units, 642
Hydroxymethyl phosphine sulfide
Reactions of ferrocene-derived bis(hydroxymethyl) phosphine sulfides FcCH(R)P(S)(CH$_2$OH)$_2$ (R = H, CH$_3$) with cyclic thionylphosphazenes: crystal structures of FcCH$_2$P(S)-(CH$_2$O)$_2$PN(NPCl$_2$)[NS(O)Ph] and FcCH$_2$P(S)(CH$_2$O)$_2$-PN$_2$P[N(Me)CH$_2$]$_2$[NS(O)Ph] (Fc = ferrocenyl), 382
β-Hydroxy sulphides
Synthesis and reactivity of achiral and of a novel planar chiral thioferrocenoylsilanes, 407
Hyper-Rayleigh scattering
Knoevenagel condensation of ferrocenyl substituted carboxaldehydes with methylene active compounds on inorganic supports and the NLO properties of the resulting push–pull alkenes, 426

Imine
Novel cyclopalladated ferrocenyl Schiff base compounds with bridging and chelating diphosphines. Crystal and molecular structure of [{Pd[($\eta^5$-$C_5H_5$)Fe($\eta^5$-$C_5H_3$)C(H)=N-2,4,6-$Me_3C_6H_2$]}{$Ph_2P(CH_2)_nPPh_2$-*P,P*}][$PF_6$] ($n$ = 1, 2), 577
Insect growth regulators
Synthesis, spectroscopy and biological activity of novel acylhydrazines containing ferrocenyl moiety, 94
Intramolecular charge transfer
Electron acceptors of the fluorene series: Part 12. 9-(Metalloceneylidene)nitrofluorene derivatives of Fc–NF, NF–Fc–NF, and NF–Rc–NF types, and the vinylogues Fc–π–NF: synthesis, characterisation, intramolecular charge transfer, redox properties and X-ray structures for three fluorene–ferrocene derivatives, 445
Intramolecular coordination
Studies on the cyclometallation of ferrocenylimines, 27
Iron
Highly efficient reduction of ferrocenyl derivatives by borane, 364
New chiral ferrocenyl-pyridinium salts for non-linear optics, 531
Synthesis and crystal structure of 1,1′-bis[4-(2,2′:6′,2″-terpyridin-4′-yl)phenyl]octamethylferrocene, 733
Synthesis, reactivity, and crystal structures of ferrocene-substituted amidinate derivatives, 521
Isocyanide
Ruthenium(II) complexes containing 4-ferrocenylphenylisocyanide ligands. Crystal structure of *trans, trans, trans*-[$RuCl_2$(POMe-*P*)$_2$($FcC_6H_4NC$)$_2$] (POMe = $PPh_2C_6H_4$-$OCH_3$; Fc = ferrocenyl), 145
Isocyanide complexes
Copper(I) complexes containing 1,1′-bis(diphenylphosphino) ferrocene (dppf) as a chelate ligand. X-ray crystal structures of [$Cu_2$(μ-Cl)$_2$($\kappa^2$-*P,P*-dppf)$_2$] and [Cu($CN^tBu$)$_2$($\kappa^2$-*P,P*-dppf)][$BF_4$], 677
Isomeric *nido*-clusters
A re-examination of the reaction between 1,1′-bis(diphenylphosphino)ferrocene (dppf) diselenide and [$Ru_3(CO)_{12}$]. Electrochemical behaviour of the isomeric *nido*-clusters [$Ru_3$($\mu_3$-Se)$_2$(dppf)$(CO)_7$] and [$Ru_3$($\mu_3$-Se)$_2$(μ-dppf)$(CO)_7$] and crystal structure of [$Ru_3Se${μ-P(Ph)$C_5H_4FeC_5H_4$-$PPh_2$}(μ-OCPh)$(CO)_6$], 586

Ketone
Preparation of 1,5-diketone derivatives containing ferrocenyl by Michael reaction under solvent-free condition, 719
Ketones
Synthesis of ferrocenylketyl radicals by chromium(II) complexes, 813
Kinetics
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, 469
Knoevenagel condensation
Knoevenagel condensation of ferrocenyl substituted carboxaldehydes with methylene active compounds on inorganic supports and the NLO properties of the resulting push–pull alkenes, 426

Lethal larval molt
Synthesis, spectroscopy and biological activity of novel acylhydrazines containing ferrocenyl moiety, 94

Macrocyclic molecular boxes
Metal-directed assembly of polyferrocenyl transition metal dithiocarbamate macrocyclic molecular boxes, 89
Macrocyclic polyamine
Properties of some ferrocene macrocyclic dioxotetraamines: the roles of aromatic side-arms, 327
Magnetochemistry
Ferrocene substituted nitronyl nitroxide and imino nitroxide radicals. Synthesis, X-ray structure and magnetic properties, 507
Mass spectrometry
Internal ferrocenylalkynes—a comparative electrochemical and mass spectrometric study, 291
Redox behavior of boronato-functionalized 1,1′-bis(diphenylphosphino)ferrocenes, 800
MCF7
Studies on organometallic selective estrogen receptor modulators. (SERMs) Dual activity in the hydroxy-ferrocifen series, 500
Mechanism
Study on the synthesis of nonracemic $C_2$-symmetric 1,1′-binaphthyl-2,2′-diyl bridged ferrocene. Stereochemical result of the cross-coupling reactions controlled by Pd(II) or Pd(IV) complex intermediacy, 318
Mercury
The reaction of ferrocene with mercuric chloride revisited: '$Cp_2Fe$*$2HgCl_2$' = [$(C_5H_5)Fe(C_5H_4HgCl)]_2$[$Hg_2Cl_6$], comparison of its molecular structure with that of chloromercuriferrocene, 796
Merocyanine
The linear and nonlinear optical properties of organometallic chromophores derived from ferrocene, [$Fe_2$($\eta^5$-$C_5H_5$)$_2$($CO)_2$(μ-CO)(μ-C–$CH_3$)]$^+$[$BF_4$]$^-$ and terthienyl spacers. Crystal structure of 2-[(*E*)-2-ferrocenylethenyl]-5-(2-thienyl)thiophene, 435
Metal carbonyl complexes
Synthesis, structures and electrochemical properties of Group 6 metal carbonyl complexes containing ferrocenylpyrazole ligands, 209
Metal-containing dendrimers
Facile synthesis of bidimensional ferrocenyl-based branched oligomers by palladium-catalyzed coupling reactions, 191
Metal-directed assembly
Metal-directed assembly of polyferrocenyl transition metal dithiocarbamate macrocyclic molecular boxes, 89
Metallacycle
Synthesis of a new bis(ferrocenyl)ruthenacyclopentatriene compound with a significant inter-metal electronic communication, 80
Metallocene
Ferrocene polymers: current architectures, syntheses and utility, 47
Metallocenes
Bonding in 'closed,' open, and half-open ferrocenes: new insight from structural and Mössbauer spectroscopic studies, 172
Metal–metal interaction
4-Ethinyl-benzonitrile-ferrocenes bridged by a $Pd(PPh_3)_2$ unit; the solid-state structure of ($\eta^5$-$C_5H_5$)Fe($\eta^5$-$C_5H_4C{\equiv}CC_6H_4C{=}$N-1,4), 198
Micelles
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, 469
Michael reaction
Preparation of 1,5-diketone derivatives containing ferrocenyl by Michael reaction under solvent-free condition, 719
Mixed ligand complexes
Technetium and rhenium heterocomplexes containing the diphenylphosphinoferrocenyl fragment, 772

Mixed-valence state
Control of the symmetry of binuclear ferrocene derivative by using chiral substituent and its mixed-valence state, 820
Modified electrodes
Functionalization via hydrosilylation of linear and cyclic siloxanes with appendent first generation dendrons containing electronically communicated ferrocenyl units, 642
Molecular recognition
Voltammetric metal cation sensors based on ferrocene derivatives with oxazoline and imine substituents, 134
Molecule-based magnet
(Ferrocenylmethyl)trialkyl ammoniums as template cations in optically active two-dimensional oxalate bridged [Cr–Mn] and [Cr–Ni] molecule-based magnets: synthesis and magnetic properties, 182
Mössbauer
Electrostatic field effects manifested in ferrocenyl metal complexes and the crystal structure of $[Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5H_4CH{=}NNHC_5H_4N)]\cdot HCl$, 311
Mössbauer spectroscopy
Bonding in 'closed,' open, and half-open ferrocenes: new insight from structural and Mössbauer spectroscopic studies, 172

Nitrido complexes
Technetium and rhenium heterocomplexes containing the diphenylphosphinoferrocenyl fragment, 772
Nitrite
Synthesis, characterisation, crystal structures and electrochemistry of triosmium nitrite carbonyl clusters containing ferrocenyl phosphines, 276
NLO properties
Knoevenagel condensation of ferrocenyl substituted carboxaldehydes with methylene active compounds on inorganic supports and the NLO properties of the resulting push–pull alkenes, 426
NMR
1,1′-Ferrocenoyl–oligoprolines. A synthetic, structural and electrochemical study, 335
New ferrocenyl amine derivatives: *N*-silyl, *N*-stannyl and *N*-boryl ferrocenyl amines, 727
Synthesis, X-ray, spectroscopic and a preliminary Suzuki coupling screening studies of a complete series of dppfMX$_2$ (M = Pt, Pd; X = Cl, Br, I), 691
NMR spectroscopy
Palladium(II) complexes containing symmetrical diphosphine ligands based on ferrocene. Sterically enforced palladium–iron bonds, 805
Nondestructive imaging
Synthesis of new ferrocene containing diamines and their use in epoxy resins, 837
Nonlinear optics
Second harmonic generation in ferrocene based hydrogen bonded assemblies, 827
The linear and nonlinear optical properties of organometallic chromophores derived from ferrocene, $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C{-}CH_3)]^+[BF_4]^-$ and terthienyl spacers. Crystal structure of 2-[(*E*)-2-ferrocenylethenyl]-5-(2-thienyl)thiophene, 435

Non-linear optics
New chiral ferrocenyl-pyridinium salts for non-linear optics, 531
$\eta^3$:$\eta^3$-Octadienediyl complexes
Reactivity of the bis(allyl)-ruthenium(IV) dimer $[\{Ru(\eta^3\text{:}\eta^3\text{-}C_{10}H_{16})(\mu\text{-}Cl)Cl\}_2]$ ($C_{10}H_{16}$ = 2,7-dimethylocta-2,6-diene-1,8-diyl) towards dppf (dppf = $[Fe(\eta^5\text{-}C_5H_4PPh_2)_2]$) and dppfO (dppfO = $[Fe(\eta^5\text{-}C_5H_4PPh_2)(\eta^5\text{-}C_5H_4P(=O)Ph_2)]$), 767

Oligodeoxynucleotides
Synthesis and characterization of ferrocene-labeled oligodeoxynucleotides, 398
Oligonuclear complexes
Multistep redox properties of 2,2′-bipyridylboronium substituted ferrocenes, 390
Oligopeptide
1,1′-Ferrocenoyl–oligoprolines. A synthetic, structural and electrochemical study, 335
Oligopyridine ligands
Synthesis and crystal structure of 1,1′-bis[4-(2,2′:6′,2″-terpyridin-4′-yl)phenyl]octamethylferrocene, 733
On-column
Synthesis and characterization of ferrocene-labeled oligodeoxynucleotides, 398
Organic radical
Ferrocene as a ferromagnetic coupler. Synthesis and characterization of a ferrocene bridged polychlorotriphenylmethyl diradical, 251
Ferrocene substituted nitronyl nitroxide and imino nitroxide radicals. Synthesis, X-ray structure and magnetic properties, 507
Organic solvent
Anion effect on the electrochemical characteristics of a gold electrode modified with a self-assembled monolayer of ferrocenylhexanethiol in aqueous and dichloromethane solutions, 841
Organometallic complexes
Organometallic building blocks for crystal engineering. Synthesis, structure and hydrogen bonding interactions in $[Fe(\eta^5\text{-}C_5H_4{-}CH_2(CH_3)OH)_2]$, $[Fe(\eta^5\text{-}C_5H_3(CH_3)COOH)_2]$, $[Fe(\eta^5\text{-}C_5H_4CH(CH_3)NH(\eta^5\text{-}C_5H_4CH(CH_3))]$ and in the diaminecyclohexane salt $[Fe(\eta^5\text{-}C_5H_4COO)_2]^{2-}[(1S,2S)\text{-}(NH_3)_2C_6H_{10}]^{2+}\cdot 2[H_2O]$, 609
Organometallic hormone
Studies on organometallic selective estrogen receptor modulators. (SERMs) Dual activity in the hydroxy-ferrocifen series, 500
*ortho*-Metalation
Asymmetric synthesis of planar chiral 2-mono- and 2,2′-disubstituted 1,1′-bisbenzoylferrocenes, 698
Osmium
A comparison of ferrocenyl carbenium/non-carbenium structures in isomeric osmium cluster complexes obtained from the reaction of bis-ferrocenylbutadiyne with $Os_3(CO)_{10}(\mu\text{-}py)(\mu\text{-}H)$, 514
Synthesis, characterisation, crystal structures and electrochemistry of triosmium nitrite carbonyl clusters containing ferrocenyl phosphines, 276
Osmium complexes
Iron(II) versus osmium(II) oxidation in 1,1′-bis(diorganophosphino)ferrocene–osmium(II) complexes, 167
Oxalate bridge
(Ferrocenylmethyl)trialkyl ammoniums as template cations in optically active two-dimensional oxalate bridged [Cr–Mn] and [Cr–Ni] molecule-based magnets: synthesis and magnetic properties, 182
Oxazoline
Voltammetric metal cation sensors based on ferrocene derivatives with oxazoline and imine substituents, 134

Palladium
Characterization and electrochemical study of bis(ferrocenes) with a furan spacer and ferrocenophanes prepared from α-bromoacetyl substituted ferrocenes, 259

Chiral ferrocenylthiazolidines, new ligands for palladium complexes, 116
Novel cyclopalladated ferrocenyl Schiff base compounds with bridging and chelating diphosphines. Crystal and molecular structure of [{Pd[($\eta^5$-$C_5H_3$)Fe($\eta^5$-$C_5H_3$)C(H)=N-2,4,6-$Me_3C_6H_2$]}{$Ph_2P(CH_2)_nPPh_2$-*P,P*}][$PF_6$] ($n$ = 1, 2), 577
*ortho*-Silylation of 2,2′-bis(oxazolinyl)-1,1′-bis(diphenylphosphino)ferrocenes and remarkable effect of the silyl groups on the enantioselectivity in Pd-catalyzed asymmetric allylic alkylation, 99
Palladium(II) phosphine thiocarboxylates. Structures of *cis*-Pd(κ*S*-SOCMe)$_2$(dppf) [dppf = 1,1′-bis(diphenylphosphino)ferrocene] and *trans*-Pd(κ*S*-SOCMe)$_2$($PPh_3$)$_2$, 757
Palladium complex
Structural characterization and complexation behavior of ferrocene bearing dipeptide chain (-L-Ala-L-Pro-NHPy), 75
Palladium complexes
Study on the synthesis of nonracemic $C_2$-symmetric 1,1′-binaphthyl-2,2′-diyl bridged ferrocene. Stereochemical result of the cross-coupling reactions controlled by Pd(II) or Pd(IV) complex intermediacy, 318
Palladium–iron bonds
Palladium(II) complexes containing symmetrical diphosphine ligands based on ferrocene. Sterically enforced palladium–iron bonds, 805
Pd(0)-catalysed cross-coupling
A new phthalocyanine–ferrocene conjugated dyad, 751
Pentafluorophenyl
Conformational control of intramolecular arene stacking in ferrocene complexes bearing *tert*-butyl and pentafluorophenyl substituents, 107
Peptide synthesis
Solution phase peptide synthesis with ferrocenyl amino acid derivatives, 349
Perfluorophenyl borate
Improved electrochemistry of multi-ferrocenyl compounds: investigation of biferrocene, terferrocene, bis(fulvalene)diiron and diferrocenylethane in dichloromethane using [$NBu_4$][$B(C_6F_5)_4$] as supporting electrolyte, 823
Phosphate binding
Synthesis and dihydrogen phosphate binding properties of pyrrole containing *ansa*-ferrocenes, 343
Phosphine ligand
Diferrocenyltriphosphines 2. Reversible phosphine deligation in the chemistry of diferrocenyltriphosphine Ru(II) dichloride complexes with nitriles and pyridines: towards a pH-switchable catalyst?, 538
Phosphine ligands
Palladium(II) complexes containing symmetrical diphosphine ligands based on ferrocene. Sterically enforced palladium–iron bonds, 805
Phosphinoferrocene
1,1′,2,2′-Tetrakis(diphenylphosphino)-4,4′-di-*tert*-butylferrocene, a new *cisoid* arrangement of phosphino groups, 126
Phosphonic acid
Synthesis and characterisation of ferrocenyl-phosphonic and -arsonic acids, 216
Photochemistry
Charge transfer spectra and photoreactivity of (*E*)-1-ferrocenyl-2-(1-methyl-4-pyridiniumyl)ethylene cation, 777
Phthalocyanines
A new phthalocyanine–ferrocene conjugated dyad, 751
Planar chirality
Asymmetric synthesis of planar chiral 2-mono- and 2,2′-disubstituted 1,1′-bisbenzoylferrocenes, 698
[2 + 2 + 2] Cyclotrimerisation of bisaryl acetylene bearing ferrocenyl units with planar chirality: synthesis of enantiopure conjugated polyferrocene complexes, 84
Novel ferrocene modified *P,N*-ligands for enantioselective palladium-catalyzed allylic substitution reactions, 762
Palladium-catalyzed asymmetric allylic alkylations of cycloalkenyl acetates with planar chiral phosphino-ferrocene carboxylic acids, 845
Synthesis and reactivity of achiral and of a novel planar chiral thioferrocenoylsilanes, 407
Platinum
Synthesis and characterisation of novel multidentate ferrocene ligands and their Re(I) and Pt(II) complexes, 418
Polycarboxylic acids
Organometallic building blocks for crystal engineering. Synthesis, structure and hydrogen bonding interactions in [Fe($\eta^5$-$C_5H_4$-$CH_2(CH_3)OH)_2$], [Fe($\eta^5$-$C_5H_3(CH_3)COOH)_2$], [Fe($\eta^5$-$C_5H_4CH(CH_3)NH(\eta^5$-$C_5H_4CH(CH_3))$] and in the diaminecyclohexane salt [Fe($\eta^5$-$C_5H_4COO)_2]^{2-}$ [(1*S*,2*S*)-$(NH_3)_2C_6H_{10}]^{2+}$·2[$H_2O$], 609
Polymer
Ferrocene polymers: current architectures, syntheses and utility, 47
Polysiloxanes
Functionalization via hydrosilylation of linear and cyclic siloxanes with appendent first generation dendrons containing electronically communicated ferrocenyl units, 642
Proline
1,1′-Ferrocenoyl–oligoprolines. A synthetic, structural and electrochemical study, 335
Pt and Pd complexes of dppf
Synthesis, X-ray, spectroscopic and a preliminary Suzuki coupling screening studies of a complete series of dppf$MX_2$ (M = Pt, Pd; X = Cl, Br, I), 691
Push–pull compounds
Electron acceptors of the fluorene series: Part 12. 9-(Metalloceneylidene)nitrofluorene derivatives of Fc–NF, NF–Fc–NF, and NF–Rc–NF types, and the vinylogues Fc–π–NF: synthesis, characterisation, intramolecular charge transfer, redox properties and X-ray structures for three fluorene–ferrocene derivatives, 445
Pyridinium
New chiral ferrocenyl-pyridinium salts for non-linear optics, 531
Pyrrole
Synthesis and dihydrogen phosphate binding properties of pyrrole containing *ansa*-ferrocenes, 343

Radicals
Synthesis of ferrocenylketyl radicals by chromium(II) complexes, 813
Redox
Synthesis and characterisation of novel multidentate ferrocene ligands and their Re(I) and Pt(II) complexes, 418
Synthesis of a new bis(ferrocenyl)ruthenacyclopentatriene compound with a significant inter-metal electronic communication, 80
Redox-active ligands
Complexation and electrochemical sensing of anions by amide-substituted ferrocenyl ligands, 356
Redox behavior
1,1′-Ferrocenoyl–oligoprolines. A synthetic, structural and electrochemical study, 335
Reduction
Highly efficient reduction of ferrocenyl derivatives by borane, 364
Rhenium
Synthesis and characterisation of novel multidentate ferrocene ligands and their Re(I) and Pt(II) complexes, 418

Technetium and rhenium heterocomplexes containing the diphenylphosphinoferrocenyl fragment, 772
Rhodium
Synthesis, reactivity, and crystal structures of ferrocene-substituted amidinate derivatives, 521
Rhodium and iridium ESR
Synthesis and characterisation of rhodium(0) and rhodium(−1) complexes stabilised by 1,1′-bis(diphenylphosphino)-ferrocene (dppf). Crystal structures of [Rh(dppf)$_2$] and [Na(THF)$_3$][Rh(dppf)$_2$]·THF, 710
Rhodium complexes
Synthesis and characterisation of rhodium(0) and rhodium(−1) complexes stabilised by 1,1′-bis(diphenylphosphino)ferrocene (dppf). Crystal structures of [Rh(dppf)$_2$] and [Na(THF)$_3$][Rh(dppf)$_2$]·THF, 710
Ring-closing metathesis
A rapid approach to ferrocenophanes via ring-closing metathesis, 669
Ring-opening polymerisation
Ferrocene polymers: current architectures, syntheses and utility, 47
Ruthenium
Allylferrocenylselenide and the synthesis of the first seleno-substituted allenylidene complex: synthesis, spectroscopy, electrochemistry and the effect of electron transfer from the ferrocenylselenyl subunit, 240
Ruthenium(II) complexes containing 4-ferrocenylphenylisocyanide ligands. Crystal structure of *trans*, *trans*, *trans*-[RuCl$_2$(POMe–*P*)$_2$(FcC$_6$H$_4$NC)$_2$] (POMe = PPh$_2$C$_6$H$_4$-OCH$_3$; Fc = ferrocenyl), 145
Synthesis of a new bis(ferrocenyl)ruthenacyclopentatriene compound with a significant inter-metal electronic communication, 80
The reaction of ferrocenyl acetylene with [RuCp(PR$_3$)-(CH$_3$CN)$_2$]PF$_6$ (R = Me, Ph, Cy). Formation of the first allenyl carbene complexes, 70
Ruthenium complexes
Diferrocenyltriphosphines 2. Reversible phosphine deligation in the chemistry of diferrocenyltriphosphine Ru(II) dichloride complexes with nitriles and pyridines: towards a pH-switchable catalyst?, 538
Ruthenium(II)
Octahedral ruthenium(II) complexes containing the chiral ligand (4*S*)-2-[(*S*$_p$)-2-(diphenylphosphino)ferrocenyl]-4-(isopropyl)oxazoline (FcPN). X-Ray crystal structures of *fac*-[RuCl$_2$(PMe$_3$)$_2$(FcPN)] and *fac*-[RuCl$_2$(dppm)(FcPN)] (dppm = bis(diphenylphosphino)methane), 463
Ruthenium(IV) complexes
Reactivity of the bis(allyl)-ruthenium(IV) dimer [{Ru($\eta^3$:$\eta^3$-C$_{10}$H$_{16}$)(μ-Cl)Cl}$_2$] (C$_{10}$H$_{16}$ = 2,7-dimethylocta-2,6-diene-1,8-diyl) towards dppf (dppf = [Fe($\eta^5$-C$_5$H$_4$PPh$_2$)$_2$]) and dppfO (dppfO = [Fe($\eta^5$-C$_5$H$_4$PPh$_2$)($\eta^5$-C$_5$H$_4$P(=O)Ph$_2$)]), 767

S-donor
Chiral ferrocenylthiazolidines, new ligands for palladium complexes, 116
Selenium
Allylferrocenylselenide and the synthesis of the first seleno-substituted allenylidene complex: synthesis, spectroscopy, electrochemistry and the effect of electron transfer from the ferrocenylselenyl subunit, 240
Bis[bis(trimethylsilyl)cyclopentadienyl]selane as a ligand: selena-2,2′,4,4′-tetrakis(trimethylsilyl)-[1]ferrocenophane and 1,2,3-triselena-2,2′,4,4′-tetrakis(trimethylsilyl)-[3]ferrocenophane, 745
Self-assembled monolayer
Anion effect on the electrochemical characteristics of a gold electrode modified with a self-assembled monolayer of ferrocenylhexanethiol in aqueous and dichloromethane solutions, 841
Sensor
The effect of d-block metal complexation on the spectroscopic and redox properties of ferrocene derivatives containing pyridine ligands, 304
Sensors
Voltammetric metal cation sensors based on ferrocene derivatives with oxazoline and imine substituents, 134
Silylation
*ortho*-Silylation of 2,2′-bis(oxazolinyl)-1,1′-bis(diphenylphosphino)ferrocenes and remarkable effect of the silyl groups on the enantioselectivity in Pd-catalyzed asymmetric allylic alkylation, 99
Solid-phase
Synthesis and characterization of ferrocene-labeled oligodeoxynucleotides, 398
Solid-state reaction
Preparation of 1,5-diketone derivatives containing ferrocenyl by Michael reaction under solvent-free condition, 719
Preparation of ferrocenyl mono- and dienone derivatives through aldol condensation of 1,1′-diacetylferrocene with aromatic aldehydes in dry conditions, 782
Solvent-free
Preparation of 1,5-diketone derivatives containing ferrocenyl by Michael reaction under solvent-free condition, 719
Sonogashira coupling
Star-shaped polyferrocenes based on thiophene and triphenylamine: synthesis, spectroscopy and electrochemistry, 139
Spectro-electrochemistry
Allylferrocenylselenide and the synthesis of the first seleno-substituted allenylidene complex: synthesis, spectroscopy, electrochemistry and the effect of electron transfer from the ferrocenylselenyl subunit, 240
Spectroscopy
The effect of d-block metal complexation on the spectroscopic and redox properties of ferrocene derivatives containing pyridine ligands, 304
Spirocycles
Reactions of ferrocene-derived bis(hydroxymethyl) phosphine sulfides FcCH(R)P(S)(CH$_2$OH)$_2$ (R = H, CH$_3$) with cyclic thionylphosphazenes: crystal structures of FcCH$_2$P(S)-(CH$_2$O)$_2$PN(NPCl$_2$)[NS(O)Ph] and FcCH$_2$P(S)(CH$_2$O)$_2$-PN$_2$P[N(Me)CH$_2$]$_2$[NS(O)Ph] (Fc = ferrocenyl), 382
π-Stacking
Synthesis and crystal structure of 1,1′-bis[4-(2,2′:6′,2″-terpyridin-4′-yl)phenyl]octamethylferrocene, 733
Star-shaped complexes
Facile synthesis of bidimensional ferrocenyl-based branched oligomers by palladium-catalyzed coupling reactions, 191
Stereochemistry
Formation and structural characterization of amino-substituted [3]ferrocenophanes derived from intramolecular Mannich-type coupling reactions at the metallocene framework, 621
Studies on the cyclometallation of ferrocenylimines, 27
Stereoconservative
Study on the synthesis of nonracemic $C_2$-symmetric 1,1′-binaphthyl-2,2′-diyl bridged ferrocene. Stereochemical result of the cross-coupling reactions controlled by Pd(II) or Pd(IV) complex intermediacy, 318
Stereospecific substitution
A rapid approach to ferrocenophanes via ring-closing metathesis, 669

Stille coupling
Synthesis of 1′,1‴-bis(heterocyclyl)biferrocene compounds, 723
Structure–property relationships
Studies on the cyclometallation of ferrocenylimines, 27
Supporting electrolyte
Improved electrochemistry of multi-ferrocenyl compounds: investigation of biferrocene, terferrocene, bis(fulvalene)diiron and diferrocenylethane in dichloromethane using $[NBu_4][B(C_6F_5)_4]$ as supporting electrolyte, 823
Supramolecular assembly
Second harmonic generation in ferrocene based hydrogen bonded assemblies, 827
Surfactants
Enzymatic chemistry of ferrocenes: micellar tuning of the glucose oxidase reactivity toward solubilized electrochemically generated *n*-alkylferricenium cations, 469
Suzuki coupling
Short syntheses of 8-substituted 8′-[1-(1′-phenylthio)ferrocenyl]-1,1′-binaphthyls from Suzuki coupling reactions. A strategy for generating new chiral ligands and charge-transfer complexes, 832
Synthesis, X-ray, spectroscopic and a preliminary Suzuki coupling screening studies of a complete series of dppf$MX_2$ (M = Pt, Pd; X = Cl, Br, I), 691
Synthesis
Ferrocene derivatives (II). Synthesis and reactions of 4-ferrocenyl-2-thiazolamine, 742
Internal ferrocenylalkynes—a comparative electrochemical and mass spectrometric study, 291
Properties of some ferrocene macrocyclic dioxotetraamines: the roles of aromatic side-arms, 327
Synthesis and characterization of ferrocene-labeled oligodeoxynucleotides, 398
Tamoxifen
Studies on organometallic selective estrogen receptor modulators. (SERMs) Dual activity in the hydroxy-ferrocifen series, 500
Technetium
Technetium and rhenium heterocomplexes containing the diphenylphosphinoferrocenyl fragment, 772
Thiazolidines
Chiral ferrocenylthiazolidines, new ligands for palladium complexes, 116
Thiazolidone
Ferrocene derivatives (II). Synthesis and reactions of 4-ferrocenyl-2-thiazolamine, 742
Thiazolimines
Ferrocene derivatives (II). Synthesis and reactions of 4-ferrocenyl-2-thiazolamine, 742
Thioacetate
Palladium(II) phosphine thiocarboxylates. Structures of *cis*-Pd(κ*S*-SOCMe)$_2$(dppf) [dppf = 1,1′-bis(diphenylphosphino)ferrocene] and *trans*-Pd(κ*S*-SOCMe)$_2$(PPh$_3$)$_2$, 757
Thioacylsilanes
Synthesis and reactivity of achiral and of a novel planar chiral thioferrocenoylsilanes, 407
Thioether
Synthesis and characterisation of novel multidentate ferrocene ligands and their Re(I) and Pt(II) complexes, 418
Thionylphosphazene
Reactions of ferrocene-derived bis(hydroxymethyl) phosphine sulfides FcCH(R)P(S)(CH$_2$OH)$_2$ (R = H, CH$_3$) with cyclic thionylphosphazenes: crystal structures of FcCH$_2$P(S)(CH$_2$O)$_2$PN(NPCl$_2$)[NS(O)Ph] and FcCH$_2$P(S)(CH$_2$O)$_2$PN$_2$P[N(Me)CH$_2$]$_2$[NS(O)Ph] (Fc = ferrocenyl), 382
Thiophene
Star-shaped polyferrocenes based on thiophene and triphenylamine: synthesis, spectroscopy and electrochemistry, 139
The linear and nonlinear optical properties of organometallic chromophores derived from ferrocene, $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C\text{–}CH_3)]^+[BF_4]^-$ and terthienyl spacers. Crystal structure of 2-[(*E*)-2-ferrocenylethenyl]-5-(2-thienyl)thiophene, 435
Thiophilic addition
Synthesis and reactivity of achiral and of a novel planar chiral thioferrocenoylsilanes, 407
Three-component reaction
($\eta^5$-C$_5$H$_5$)-Ring alkylation reaction with the C$_5$H$_5^-$ anion: towards the construction of tri-Fe complex Fe{[$\mu$,$\eta^5$:$\eta^4$-5-*exo*-(1′-C$_5$H$_4$)C$_5$H$_5$]Fe(CO)$_2$(PPh$_3$)}$_2$, 549
Transmetallation
Studies on the cyclometallation of ferrocenylimines, 27
Triarylamine
Star-shaped polyferrocenes based on thiophene and triphenylamine: synthesis, spectroscopy and electrochemistry, 139
Triferrocenyl derivatives
An investigation of the chemistry of ferrocenoyl derivatives. The synthesis and reactions of ferrocenoyl imidazolide and its derivatives, 266
Tungsten
Syntheses and some reactions of complexes containing carbon chains capped by ferrocenyl and W(CO)$_3$Cp groups, 484

Unsymmetrical 8,8′-disubstituted 1,1′-binaphthyls
Short syntheses of 8-substituted 8′-[1-(1′-phenylthio)ferrocenyl]-1,1′-binaphthyls from Suzuki coupling reactions. A strategy for generating new chiral ligands and charge-transfer complexes, 832
UV–vis spectrometry
Properties of some ferrocene macrocyclic dioxotetraamines: the roles of aromatic side-arms, 327

Vinylidene complexes
The reaction of ferrocenyl acetylene with [RuCp(PR$_3$)(CH$_3$CN)$_2$]PF$_6$ (R = Me, Ph, Cy). Formation of the first allenyl carbene complexes, 70

Water solubility
Water soluble ferrocenyl and polyferrocenyl compounds: synthesis and electrochemistry, 595

X-ray
Synthesis of new ferrocene containing diamines and their use in epoxy resins, 837
Synthesis, X-ray, spectroscopic and a preliminary Suzuki coupling screening studies of a complete series of dppf$MX_2$ (M = Pt, Pd; X = Cl, Br, I), 691
X-ray crystal structure analysis
Multistep redox properties of 2,2′-bipyridylboronium substituted ferrocenes, 390
X-ray diffraction
Electron acceptors of the fluorene series: Part 12. 9-(Metalloceneylidene)nitrofluorene derivatives of Fc–NF, NF–Fc–NF, and NF–Rc–NF types, and the vinylogues Fc–π–NF: synthesis, characterisation, intramolecular charge transfer, redox properties and X-ray structures for three fluorene–ferrocene derivatives, 445
X-ray structure
Ferrocene derivatives (I). Synthesis and X-ray structure determination of *N*-*o*-methylphenylferrocenesulfonamide, 738
X-ray structure analysis
4-Ethinyl-benzonitrile-ferrocenes bridged by a Pd(PPh$_3$)$_2$ unit; the

solid-state structure of ($\eta^5$-$C_5H_4$)Fe($\eta^5$-$C_5H_4C{\equiv}CC_6H_4C{\equiv}$N-1,4), 198
X-Ray structures
Semimasked 1,1′-diethynylferrocenes: synthetic concepts, preparations, and reactions, 558
Zero-valent complexes
Synthesis and characterisation of rhodium(0) and rhodium(−1) complexes stabilised by 1,1′-bis(diphenylphosphino)ferrocene (dppf). Crystal structures of [Rh(dppf)$_2$] and [Na(THF)$_3$][Rh(dppf)$_2$]·THF, 710